

GeolP[®] databases comparison chart + data dictionary

- Databases that you can download and host locally
- Eliminate network latency and per-query charges
- Access valuable data points for a variety of use cases
- ✓ Rely on regular database updates

Data dictionary NEXT PAGE

	GeoIP databases								
Data field name	Country	City	ISP	Domain	Connection Type	Anonymous	Anonymous Plus	Enterprise	
1 network	v	V	~	<i>v</i>	V	v	v	V	
2 geoname_id	v	~						V	
3 registered_country_geoname_id	v	~						 	
<pre>4 represented_country_geoname_id</pre>	v	v						 ✓ 	
5 continent_code	~	 						 Image: A set of the set of the	
6 continent_name	~	 ✓ 						V	
7 country_iso_code	~	 						V	
8 country_name	~	V						V	
9 postal_code		V						V	
L0 latitude		V						V	
l1 longitude		V						V	
12 accuracy_radius		V						V	
<pre>L3 subdivision_1_iso_code</pre>		V						V	
L4 subdivision_1_name		V						V	
<pre>L5 subdivision_2_iso_code</pre>		V						 	
L6 subdivision_2_name		V						V	
L7 city_name		V						 	
18 time_zone		V						V	
19 is_in_european_union	~	V						V	
20 is_anycast	~	V						 	
21 isp			~					V	
<pre>22 mobile_country_code</pre>			~					 	
<pre>23 mobile_network_code</pre>			~					 	
24 organization			~					 	
autonomous_system_number			~					 	
<pre>26 autonomous_system_organization</pre>			~					 	
27 domain				~				 ✓ 	
<pre>28 connection_type</pre>					V			 	
29 is_anonymous						v	v		
<pre>30 is_anonymous_vpn</pre>						 	 ✓ 		
<pre>31 is_hosting_provider</pre>						v	v		
32 is_public_proxy						~	 ✓ 		
<pre>33 is_tor_exit_node</pre>						~	 ✓ 		
<pre>34 is_residential_proxy</pre>						~	 ✓ 		
<pre>35 provider_name</pre>							 ✓ 		
anonymizer_confidence							 ✓ 		
<pre>37 network_last_seen</pre>							 ✓ 		
country_confidence								V	
<pre>subdivision_confidence</pre>								 	
<pre>10 city_confidence</pre>								V	
postal_confidence								V	
12 user_type								~	

1/2

Data dictionary

L 2 3	network geoname_id	The IPv4 or IPv6 network in CIDR format.	19	is_i
	geoname id			
	<u> </u>	A unique identifier for the network's location as specified by GeoNames.	20	is_a
	registered_country_geoname_id	The country in which the ISP has registered the network. A unique identifier for the network's registered country as specified by GeoNames.	21 22	isp mobi
	represented_country_geoname_id	The country which is represented by users of the IP address. For instance, the country represented by an overseas military base. A unique identifier for the network's registered country as specified by GeoNames.	23 24	mobi orga
	continent_code	The continent code for this location.	25	auto
	continent_name	The continent name for this location.	26	auto
	country_iso_code	A two-character ISO 3166-1 country code for the country associated with the location.	27	doma
	country_name	The country name for this location.		
	postal_code	The postal code associated with the IP address.	28	conn
	latitude	The approximate latitude of the location associated with the network.		
	longitude	The approximate longitude of the location associated with the network.		ic -
	accuracy_radius	The approximate accuracy radius, in kilometers, around the latitude and longitude for the geographical entity associated with the IP address.	29 30	is_a is_a
	subdivision_1_iso_code	A string of up to three characters containing the region-portion of the ISO 3166-2 code for the first level region associated with the IP address. Some countries have two levels of subdivisions, in which case this is the least specific. For example, in the United Kingdom this will be a	31 32 33	is_h is_p is_t
	subdivision_1_name	country like "England", not a county like "Devon". The subdivision name for this location in the file's locale. As with the subdivision code, this is the	34	is_r
	subdivision_2_iso_code	least specific subdivision for the location. A string of up to three characters containing the region-portion of the ISO 3166-2 code for the second level region associated with the IP address.	35	prov
	subdivision_2_name	The subdivision name for this location in the file's locale. As with the subdivision code, this is the most specific subdivision for the location.	36	anon
	city_name	The city name for this location.		

	Data field name	Description		Data field name	Description	
19	is_in_european_union	1 if the country associated with the location is a member state of the European Union, 0 otherwise.		country_confidence	The confidence that the country was correctly geolocated (1-100).	
20	is_anycast	1 if the IP address is part of an anycast network.			The confidence that the most specific	
21	isp	The name of the ISP associated with the IP address.		subdivision_confidence	subdivision was correctly geolocated (1-100).	
22	<pre>mobile_country_code</pre>	The mobile country code (MCC) associated with the IP address and ISP.		city_confidence	The confidence that the city was correctly geolocated (1-100).	
23	<pre>mobile_network_code</pre>	The mobile network code (MNC) associated with the IP address and ISP.		postal_confidence	The confidence that the postal code was correctly geolocated (1-100).	
24	organization	 The name of the organization associated with the IP address. The ASN assigned to the ISP for routing. The name of the autonomous system organization. The domain associated with the network. 			The user type associated with the IP address. This will be one of the following values:	
25	autonomous_system_number					
26	autonomous_system_organization				• business	
27	domain				cafecellular	
28	connection_type	The type of connection. This will be one of the following values: corporate cable/DSL cellular satellite 	42	user_type	 college consumer_privacy_network content_delivery_network government hosting library military 	
29	is_anonymous	1 if the IP address belongs to any sort of anonymous network. Blank if not.			 residential router school 	
30	is_anonymous_vpn	1 if the IP address belongs to an anonymous VPN system. Blank if not.			search_engine_spidertraveler	
31	is_hosting_provider	1 if the IP address belongs to a hosting provider. Blank if not.				
32	is_public_proxy	1 if the IP address belongs to a public proxy. Blank if not.				
33	is_tor_exit_node	1 if the IP address is a Tor exit node. Blank if not.				
34	is_residential_proxy	1 if the IP address belongs to a residential proxy. Blank if not.				
35	provider_name	The name of the VPN provider (e.g., NordVPN, SurfShark, etc.) associated with the network. Please note that MaxMind identifies a subset of VPN providers. A current list of VPN providers identified in the Anonymous Plus database is available on request.		For more information, contact your MaxMind representative or email <u>sales@maxmind.com</u> . You can also <u>visit us online</u> , and try our interactive <u>GeoIP</u>		
36	anonymizer_confidence	A score ranging from 1 to 99 that is our percent confidence that the network is currently part of an actively used VPN service. Currently we will only provide values of 30 and 99, but the number of values will increase as we improve our confidence ratings.				
37	network_last_seen	The last day that the network was sighted in our analysis of anonymized networks. This is in the ISO 8601 date format.				

